

PERFORMANCE DATA SHEET

2850

Monoclonal anti-human CD14*

mAb name/Clone: UCHM1

Isotype: Mouse IgG2a

Immunogen: Human thymocytes/Sezary T cells

CATALOG#: 163-820 (Preservative Free)

QUANTITY: 100 µg

CONCENTRATION: 1.0 mg/ml

INFORMATION: Human CD14 is strongly expressed on myelomonocyte lineage cells including monocytes, macrophages, and a subset of granulocytes. CD14 is a high affinity receptor for complexes of lipopolysaccharide and lipopolysaccharide binding protein. A soluble form of CD14 also binds to LPS and LBP. Antibody UCHM1 recognizes a membrane bound CD14 molecule of about 53 kd, and blocks LPS induced TNF. UCHM1 will also immunoprecipitate a soluble form of CD14.

References: 1) N. Hogg, et al, (1984) Immunology **53**: 753-767. 2) M.O. Labeta, et al, (1993) Eur J Immunol **23**: 2144-2151. 3) Leukocyte Typing IV (W. Knapp, et al, eds.) Oxford University Press, Oxford, (1989) "Reference Antibody". 4) Leukocyte Typing V (S.F. Schlossman, et al, eds.) Oxford University Press, Oxford, (1995) p. 778-788. 5) S.D. Wright, (1995) J Immunol **155**: 6-8.

STORAGE CONDITIONS: Store at 2 - 5°C. Open under aseptic conditions. Freeze/Thawing is not recommended.


PRODUCT STABILITY: Product should retain activity for at least 12 months after shipping date when stored as recommended. Ship Date: _____

BUFFER: 50 mM Sodium Phosphate pH 7.5, 100 mM Potassium Chloride, 150mM NaCl.

PRODUCTION: Antibody was Protein A purified from (low FBS containing) tissue culture supernatant. Purity was >95% Immunoglobulin by SDS-PAGE and contains less than 1% Bovine Immunoglobulin. Product was 0.2 µm filtered and vialled under aseptic conditions.

PERFORMANCE: Five x 10⁵ ficoll prepared **human peripheral blood mononuclear cells** were washed and pre incubated 5 minutes with 20µl human IgG at 250 µg/ml (to block non specific binding) after which they were incubated 45 minutes on ice with 80 µl of anti-CD14 antibody at **10 µg/ml**. Cells were washed twice and incubated with 2^o reagent Goat anti-Mouse IgG/FITC (Catalog #232-011), after which they were washed three times, fixed and analyzed by FACS. A net **4.8%** sub population of the cells stained positive with a mean shift of **1.6 log₁₀** fluorescent units when compared to a Mouse IgG2a negative control (Catalog #281-010).

Binding of anti-CD14 mAb +GAM/FITC to human PBMC



**This Product is intended for Laboratory Research use only.*