PERFORMANCE DATA SHEET

181

Monoclonal anti-human CD46 (MCP)*

mAb name/Clone: **169-1-E4.3** *Isotype:* Mouse IgG2aκ

Immunogen: Human PBL and EBV transformed LCL

CATALOG#: 197-820 (Preservative Free)

QUANTITY: 100 μg CONCENTRATION: 1.0 mg/ml

INFORMATION: Human CD46 is a cell surface glycoprotein expressed on almost all human cells except erythrocytes. CD46 is involved with regulation of complement activation and is also a measles virus receptor. Antibody 169-1-E4.3 recognizes the SCR1 epitope of CD46 (3).

References: 1.) R.L. Sparrow and I.F.C. McKenzie, (1983) Human Immunol 7: 1-15. 2.) D. Christiansen, et al, (1996) Eur J Immunol 26: 578-585. 3.) Leukocyte Typing VI (T. Kishimoto, et al, eds.) Garland Publishing, Inc., New York (1997) p. 506-509.

STORAGE CONDITIONS: *Store at 2 - 5^oC*. **Open under aseptic conditions.** Freeze/Thawing is not recommended.


PRODUCT STABILITY: Product should retain activity for at least 12 months after shipping date when stored as recommended. Ship Date:______

BUFFER: 50 mM Sodium Phosphate pH 7.5, 100 mM Potassium Chloride, 150mM NaCl.

PRODUCTION: Antibody was Protein A purified from (low FBS containing) tissue culture supernatant. Purity was >95% Immunoglobulin by SDS-PAGE and contains less than 1% Bovine Immunoglobulin. Product was 0.2 µm filtered and vialed under aseptic conditions.

PERFORMANCE: Five x 10^5 cultured human **HPB-MLT** cells per tube were washed and incubated 45 minutes on ice with 80 µl of anti-CD46 antibody at a concentration of **5** µg/ml. Cells were washed twice and incubated with 2^0 reagent Goat anti-Mouse IgG/FITC (Catalog #232-011), after which they were washed three times, fixed and analyzed by FACS. Cells stained positive with a mean shift of **1.20** \log_{10} fluorescent units when compared to a Mouse IgG2a negative control (Catalog #281-010) at a similar concentration.

Binding of anti-CD46 antibody to human HPB-MLT cells



*This Product is intended for Laboratory Research use only.