## PERFORMANCE DATA SHEET 1817 Monoclonal anti-human CD56 (NCAM)\*

*mAb name/Clone:* ERIC-1 *Isotype:* Mouse IgG1κ *Immunogen:* Human retinoblastoma tumor tissue, membrane fraction

## CATALOG#: 208-820 (Preservative-free) QUANTITY: 100 µg

## **CONCENTRATION: 1.0 mg/ml**

**INFORMATION:** Human CD56 is an adhesion molecule from the Ig superfamily which is restricted to NK cells in the immune system. It is believed that NK cells form a first line of defense against tumor cells and cells infected with bacteria and viruses. Antibody ERIC-1 recognizes a stem region epitope of the CD56 molecule(4). *References:* 1) S.P. Bourne, et al, (1991) J Neuro-Oncol 10: 111-119. 2) T.L. Whiteside and R.B. Herberman (1994) Clinical & Diagnostic Laboratory Immunology. 3) H. Spits, et al, (1995) Blood **85**: 2654-2670. 4) R. Gerardy-Schahn, M Eckhardt, (1994) Int J Cancer: Supp 8: 38-42.


**STORAGE CONDITIONS:** *Store at 2 - 5<sup>o</sup>C*. **Open under aseptic conditions.** Freeze/Thawing is not recommended.


**PRODUCT STABILITY:** Product should retain activity for at least 6 months after shipping date when stored as recommended. Ship Date:\_\_\_\_\_

BUFFER: 50 mM Sodium Phosphate pH 7.5, 100 mM Potassium Chloride, 150mM NaCl.

**PRODUCTION:** Antibody was Protein A purified from (low FBS containing) tissue culture supernatant. Purity was >95% Immunoglobulin by SDS-PAGE and contains less than 1% Bovine Immunoglobulin. Product was 0.2 µm filtered and vialed under aseptic conditions.

**PERFORMANCE:** Five x  $10^5$  ficoll prepared **human peripheral blood mononuclear cells** were washed and pre incubated 5 minutes with 20 µl of 250 µg/ml human IgG (to block non specific binding) after which they were incubated 45 minutes on ice with 80 µl of anti-CD56 antibody at **10 µg/ml**. Cells were washed twice and incubated with 2<sup>o</sup> reagent Goat anti-Mouse IgG/FITC (Catalog #232-011), after which they were washed three times, fixed and analyzed by FACS. A **15%** sub population of the cells stained positive with a mean shift of **0.91** log<sub>10</sub> fluorescent units when compared to a Mouse IgG1 negative control (Catalog #278-010) at a similar concentration.





\*This Product is intended for Laboratory Research use only.

Ancell Corporation P.O. Box 87 243 Third Street North Bayport, MN 55003-0087 USA Phone: Toll free 800-374-9523 or 651-439-0835 Fax: 651-439-1940