

## Monoclonal anti-human CD66b (CEACAM8)/Biotin\*

mAb name/Clone: ANC4A4 Isotype: Mouse IgG1k

Immunogen: Recombinant soluble human CD66b

CATALOG#: 220-030 QUANTITY: 100 µg

CONCENTRATION: 1.0 mg/ml

INFORMATION: Human CD66b (CEACAM8, CGMb, NCA-95, CD67) is a 95kD member of the Carcinoembryonic Antigen (CEA) group. It is expressed on granulocytes and functions as an adhesion molecule. Similar to the CD66 a, c, and d isoforms, engagement of CD66b on neutrophils causes increased adhesion to endothelial cells (2). Crosslinking CD66b on neutrophils with antibodies triggers IL-8

Antibody from clone ANC4A4 binds to CD66b on the cell surface of human PMN in Flow cytometry and works as an EIA capture reagent for recombinant CD66b utilizing either clone ANC1D5(Cat #217-030) or ANC3C5(Cat# 219-030) as a detection reagent.

**STORAGE CONDITIONS:** *Store at 2 - 5<sup>o</sup>C*. Freeze/thawing not recommended.

**PRODUCT STABILITY:** Product should retain activity for at least 12 months after shipping date when stored as recommended. Ship Date:


BUFFER: 50 mM Sodium Phosphate pH 7.5, 100 mM Potassium Chloride, 150mM NaCl, 5% Glycerol, 0.2% BSA, 0.04% NaN<sub>3</sub> (as a preservative).

**PRODUCTION:** Antibody from (low FBS containing) tissue culture supernatant was Protein A purified to >95% mouse immunoglobulin by SDS-PAGE (<1% bovine immunoglobulin), and reacted with NHS-Biotin. Unconjugated Biotin was removed from conjugate using a desalting column.

**PERFORMANCE:** Five x 10<sup>5</sup> Polymorphprep prepared human Granulocytes(PMN) per tube were pelleted and

pre incubated 5 minutes with 20µl of human IgG at 300µg/ml (to reduce non specific binding) after which they were washed and incubated 45 minutes on ice with 80 µl of anti-CD66b antibody(ANC4A4) at 5 µg/ml. Cells were washed twice and incubated with 50 µl of 20 reagent Streptavidin/PE (Catalog #260-050), after which they were washed three times, fixed and analyzed by FACS. Cells stained positive with a mean shift of 1.08 log<sub>10</sub> fluorescent units when compared to a Mouse IgG1/Biotin isotype control (Catalog # 278-030). Binding was blocked when cells were pre incubated with an excess of unlabeled antihuman CD66b (ANC4A4) mAb (cat# 220-020).

## Binding of anti-CD66b/Biotin(ANC4A4) +SA/PE to human PMN



Ancell Corporation P.O. Box 87 Bayport, MN 55003-0087 USA Phone: Toll free 800-374-9523 or 651-439-0835 Fax: 651-439-1940

<sup>\*</sup>Research Use Only. Not for use in Diagnostic procedures.