PERFORMANCE DATA SHEET 3204 Monoclonal anti-human CD95 (APO-1/FAS)*

mAb name/Clone: ANC95.1/5E2 *Isotype:* Mouse IgG1 *Immunogen:* Human soluble FAS with the transmembrane region deleted

CATALOG#: 316-020 QUANTITY: 100 µg

CONCENTRATION: 1.0 mg/ml

INFORMATION: Human CD95 (APO-1/FAS) is a type I cell surface glycoprotein that is strongly upregulated on activated T cells, B cells, NK cells and thymocytes. CD95 plays an important role in programmed cell death or apoptosis. Apoptosis appears to be a mechanism for regulating the immune response. *References:* Leukocyte Typing V (S.F. Schlossman, et al, eds.) Oxford University Press, Oxford, (1995) p. 1142-1148. S. Nagata & P. Golstein (1995) Science 267: 1449-1456. S. Nagata & T. Suda (1995) Immunol Today 16: 39-43. D.H. Lynch, F. Ramsdell & M.R. Alderson (1995) Immunol Today 16: 569-574. H Wajant, (2003) Essays Biochem 39:53-71.

STORAGE CONDITIONS: Store at 2 - 5^oC. Freeze/Thawing is not recommended.


PRODUCT STABILITY: Product should retain activity for at least 12 months after shipping date when stored as recommended. Ship Date:______


BUFFER: 50 mM Sodium Phosphate pH 7.5, 100 mM Potassium Chloride, 150mM NaCl, 0.5 mg/ml Gentamicin Sulfate (as a preservative).

PRODUCTION: Antibody was Protein A purified from (low FBS containing) tissue culture supernatant. Purity was >95% Immunoglobulin by SDS-PAGE with less than 1% Bovine Immunoglobulin.

PERFORMANCE: Five x 10^5 cultured human **Raji** cells were incubated 45 minutes on ice with 80 µl of anti-CD95 antibody at **10 µg/ml**. Cells were washed twice and incubated with 2^0 reagent Goat anti-Mouse IgG/FITC (Catalog #232-011), after which they were washed three times, fixed and analyzed by FACS. Cells stained positive with a mean shift of **1.13** log₁₀ fluorescent units when compared to a Mouse IgG1 negative control (Catalog #278-010).

* Research use only. Not for use in Diagnostic procedures.





Ancell Corporation P.O. Box 87 Bayport, MN 55003-0087 USA Phone: Toll free 800-374-9523 or 651-439-0835 Fax: 651-439-1940