

Monoclonal anti-human CD133(AC133)*

mAb name/Clone: ANC9C5 *Isotype:* Mouse IgG1k

Immunogen: WERI-Rb-1 human retinoblastoma cells

CATALOG#: 363-820 (Preservative Free) LOT#: 173201

QUANTITY: 100 μg CONCENTRATION: 1.0 mg/ml

INFORMATION: Human CD133 is a 117kd 5 transmembrane protein expressed by a subset of hematopoetic stem cells found in blood and some other tissues. Increased expression of CD133 may be a predictor of decreased prognosis in patients with metastatic cancer(3).

Antibody ANC9C5 recognizes epitope 1 of human CD133(AC133) present on full length CD133 transfectants, Y-79 retinoblastoma, and other cell types.

References: 1) Miraglia S, Buck DW, et al. (1997) Blood 90(12): 5013-5021. 2) Shmelkov SV, Rafii S, et al. (2005) Int J Biochem Cell Biol 37(4): 715-9. 3) Mehra N, Voest EE, et al. (2006) Clin Canc Res 12(16): 4859-66.

STORAGE CONDITIONS: *Store at 2 - 5^oC*. **Open under aseptic conditions.** Freeze/Thawing is not recommended.

PRODUCT STABILITY: Product should retain activity for at least 6 months after shipping date when stored as recommended. Ship Date:______


BUFFER: 10 mM Sodium Phosphate pH 7.5, 20 mM Potassium Chloride, 130mM NaCl.

PRODUCTION: Antibody was Protein A purified from (low FBS containing) tissue culture supernatant. Purity was >95% Immunoglobulin by SDS-PAGE.

PERFORMANCE: : Antibody ANC9C5 was tested for its ability to bind to full length CD133 transfectants Y-79 retinoblastoma cells, and other CD133+ cells in flow cytometry.

Five x 10^5 human **Y-79** retinoblastoma cells were washed incubated 45 minutes on ice with 80 μ l of anti-human CD133 antibody at **5** μ g/ml. Cells were washed twice and incubated with Goat-anti-Mouse/FITC, after which they were washed twice, fixed and analyzed by FACS. Cells stained positive with a mean shift of **0.9** \log_{10} fluorescent units when compared to isotype control Mouse IgG1 antibody (catalog # 278-010).

Binding of anti-CD133 mAb +GAM/FITC to human Y-79 cells



^{*} Research Use Only. Not for use in Diagnostic procedures.